

AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

In the claims

1. (previously presented) A crosspoint switch architecture having:
a monolithic substrate;
a plurality (N) of electrical inputs provided on said substrate;
a plurality (M) of electrical outputs provided on said substrate;
switch means disposed on said substrate for selectively interconnecting said inputs to said outputs, said switch means having M multiplexers; and
means disposed on said substrate for controlling said switch means.
2. (canceled)
3. (Original) The invention of Claim 2 wherein each multiplexer is an N to 1 multiplexer and each multiplexer is adapted to receive each of said N electrical inputs.
4. (Original) The invention of Claim 3 wherein each of said N inputs to each of said multiplexers is received through a respective one of N switchable amplifiers.
5. (previously presented) The invention of Claim 4 1 wherein each multiplexer includes N selection multiplexers.

6. (Original) The invention of Claim 5 further including means for summing the outputs of said N selection multiplexers to provide a single output.

7. (Original) The invention of Claim 6 further including means for buffering said single output.

8. (Original) The invention of Claim 3 wherein each of said N inputs to each of said multiplexers is received through a respective one of N switchable isolation buffers.

9. (Original) The invention of Claim 8 further including means for summing the outputs of said N buffers to provide a single output.

10. (Original) The invention of Claim 9 further including means for buffering said single output.

11. (Original) The invention of Claim 1 wherein said control means includes a serial in, parallel out shift register.

12. (Original) A crosspoint switch architecture having:

a monolithic substrate;

a plurality (N) of electrical inputs provided on said substrate;

a plurality (M) of electrical outputs provided on said substrate;

M multiplexers disposed on said substrate for selectively interconnecting said inputs to said outputs, each of said multiplexers being an N to 1 multiplexer, whereby each multiplexer is adapted to receive each of said electrical inputs; and

a serial in, parallel out shift register disposed on said substrate for controlling said multiplexers.

13. (Original) The invention of Claim 12 wherein each of said N inputs to each of said multiplexers is received through a respective one of N switchable amplifiers.

14. (Original) The invention of Claim 13 wherein each of said N inputs to each of said multiplexers is received through a respective one of N switchable isolation buffers.

15. (Original) The invention of Claim 14 further including means for summing the outputs of said N buffers to provide a single output.

16. (Original) The invention of Claim 15 further including means for buffering said single output.

17. (Original) A method for switching including the steps of:

- providing a monolithic substrate;
- providing a plurality (N) of electrical inputs provided on said substrate;
- providing a plurality (M) of electrical outputs provided on said substrate;
- providing M, N to 1, multiplexers on said substrate, each multiplexer being adapted to receive each of said electrical inputs, and selectively interconnecting said inputs to said outputs; and
- providing a serial in, parallel out shift register on said substrate for controlling said multiplexers.

18. (currently amended) A crosspoint analog switch architecture for switching continuous time analog waveform signals, said switch architecture comprising:

- a monolithic substrate;
- a plurality (N) of electrical inputs provided on said substrate;
- a plurality (M) of electrical outputs provided on said substrate;
- a an analog switch disposed on said substrate for selectively interconnecting said inputs to one or more of said outputs; and
- a controller disposed on said substrate for controlling said analog switch ~~means~~.